

SPS REGULATIONS EXERCISE 4

Match the noncompliance in the left column with the appropriate sanitation performance standard in the right column. The SPS can be used more than once.

- | | |
|---|--|
| _____ The establishment is applying a pesticide in a manner that is different than the documented uses. | |
| _____ Odor coming from the condemned/inedible product rendering area is spreading to the slaughter floor. | |
| _____ The establishment is reusing a brine solution to chill ready-to-eat products but has no documentation or other evidence that the reused brine is free of pathogens. | A. Sanitary Operations |
| | B. Employee Hygiene |
| | C. Sewage Disposal |
| | D. Construction |
| _____ A chute connecting an edible product department to an inedible product department does not have an access point or opening for sanitary inspection. | E. Grounds and Pest Control |
| | F. Plumbing |
| | G. Ventilation |
| | H. Dressing Rooms, Lavatories, and Toilets |
| _____ There are round holes in several drop ceiling panels where pipes and electrical conduits have been removed. | I. Equipment and Utensils |
| | J. Water Supply and Reuse |
| | K. Lighting |
| _____ A commode in the men's restroom is backed up and has overflowed onto the floor. | |
| _____ An employee working with exposed product scratched his head with his fingers and did not clean them before continuing his work duties. | |
| _____ A U.S. condemned barrel is overflowing and there is an accumulation of poultry parts and whole birds on the floor. | |
| _____ There is beaded condensation on the vent hood above the wiener casing peeler. | |